

1.

2.

3.

	Qnet. ar	(Vdaf)	St. d	Mt	Na ₂ O	DT
50mm	4000kcal kg	25%	3.0 %	8%	2.0%	1350
	3000kcal kg	25%	4.5 %	---	2.0%	---

2304343109122102320

5.

3

6.

10

7.

10

8.

90% 110%

90%

110%

0.002 / .

0.002 / .


9.

0.02 / .

10.

Q _{net, ar} 4000 St. d 3.0% Vdaf 25% 2.0% Q. xxx /	1. 4000 Q _{net, ar} 3500 Kcal / 100 0.001 / . 2. 3500 Q _{net, ar} 3000 Kcal / 100 0.002 / 3. Q _{net, ar} 3000 Kcal / 100 0.005 / 4. 100 8000 < 12000 8000 0.02 / >12000 12000 0.03 /	1. 3.0%<St. d 3.5% St. d 0.1 2. 3.5%<St. d 4.0% St. d 0.1 3. St. d>4.0% St. d 0.1 5 4 : Vdaf >25% Vdaf 1 0.005 / . 2.0% 1. 2.0%<Na ₂ O 3.5% 0.1 5 2. 3.5%<Na ₂ O 4.5% 0.1 10 3. Na ₂ O>4.5% 0.1 20	95-110% 90% <95% -0.002 / . 80% <90% -0.004 / . 70% <80% -0.006 / . 60% <70% -0.008 / . 50% <60% -0.010 / . 40% <50% -0.015 / . -0.020 / <40%			
	Q _{net, ar} 3000Kcal / St. d 4.5 % Vdaf 25%	<3000 4.5% Vdaf>25% Na ₂ O 2.0%				
	(/ .)	(%)	%	Na ₂ O		
		25%	3.0%	4000	2.0%	

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- .



cnfdmtbjcg@163.com